

KNIT

ISSUE 5

JO SHARP




fresh summer knits

16
hand knitting
projects























































Pattern ratings



FIT GUIDE

Stretch to fit

Bodice circumference is less than the body measurement. The garment is designed to stretch to fit the body.

Snug fit

Minimal ease (0-5cm). The bodice circumference is equal to or slightly larger than the body measurement. The garment is shaped to fit the body snugly.

Classic fit

Approximately 5 to 15cm of ease. With or without shaping. Designed to fit the body comfortably.

Loose fit

Greater than 15cm ease. A larger, roomier fit, usually a drop shoulder or square set-in sleeve.

KNITTER RATING

★ Beginner

Suitable for a beginner knitter, familiar with reading a pattern and abbreviations, able to cast on, knit, purl and cast off. Able to work very basic shaping.

★★ Intermediate

Suitable for a knitter with experience in increasing, decreasing, shaping and basic texture patterns.

★★★ Advanced

Suitable for a knitter with experience in intarsia, fairisle, cables, complicated texture or lace patterns and shaping.

Caring for your garment

HAND WASHING

For best results, gently hand wash knitted items in lukewarm water, using a wool detergent. Rinse thoroughly in lukewarm water. Rinse again in cold water.

DRYING

To remove excess moisture after washing, roll garment inside a large towel and gently squeeze. Alternatively, spin dry inside a pillow case. Never tumble dry. Place on a flat surface in the shade to dry, coaxing back into shape whilst damp. Drying flat is recommended. Do not dry directly in front of an open or artificial fire.

DRY CLEANING

Generally is not recommended as residual dry cleaning chemicals tend to harden hand knitted fabric.



Ribbed Top

A simple top in 3 versions, worked in a combination of ribs.

★ Beginner



YARN

Colour	Quantity			
Size	A	B	C	D
Jo Sharp Soho Summer DK Cotton x 50g balls				
Version 1 254 Paisley	5	6	7	7
Version 2 228 Calico				
Version 3 252 Blush	4	5	5	6

MEASUREMENTS

Measurements given in inches are approximate.

Women's sizing

A	B	C	D
To fit bust			
80	90	100	110
31½	35¾	39¾	43¼
Bodice circumference			
65	71	77	83
25½	28	30¾	32½
Bodice length (Versions 1 and 2)			
56	57	58	59
22	22½	22¾	23¼
Bodice length (Version 3)			
40	41	42	43
15¾	16⅓	16½	16¾
Length of shoulder straps			
27cm	40cm	33cm	46cm
Front	Back	Back	Front
Version 3	Version 3	Version 3	Version 3
Versions 1 & 2	Versions 1 & 2	Versions 1 & 2	Versions 1 & 2
34[37,40,43]cm	34[37,40,43]cm	34[37,40,43]cm	34[37,40,43]cm

NEEDLES

1 pair 3.25mm needles (USA 3) (UK 10)

TENSION

27 sts and 30 rows measured over 10cm (approx 4 in) of K3, P1 rib using 3.25mm needles.

K1, P1 RIB

Row 1 (RS) K1, *P1, K1; rep from * to end.
Row 2 (WS) P1, *K1, P1; rep from * to end.
 These 2 rows form K1, P1 rib patt.
 Rep these 2 rows.

K3, P1 RIB


Row 1 (RS) K3, *P1, K3; rep from * to end.
Row 2 (WS) P3, *K1, P3; rep from * to end.
 These 2 rows form K3, P1 rib patt.
 Rep these 2 rows.



Ribbed Top Version 1



Ribbed Top Version 2



Ribbed Top Version 3

FRONT

Using 3.25mm needles, cast on 91(99,107,115) sts.

Version 1 and 2 only Work 10 rows K1, P1 rib.

Version 3 only Work in K1, P1 rib patt until length (from beg) measures 14cm ending on a WS row.

All Versions Now work in K3, P1 rib patt until length (from beg) measures 14cm (Version 1), 37cm (Version 2) or 24cm (Version 3) ending on a WS row.

Version 1 only Now work in K1, P1 rib patt until length (from beg) measures 27cm ending on a WS row. Now work in K3, P1 rib patt until length (from beg) measures 37cm ending on a WS row.

All Versions Work 10 rows K1, P1 rib.**
 Cast off in rib.

BACK

Work as for Front to **.

Shape armholes (RS) Working in K1, P1 rib patt, cast off 4 sts at begin of next 2 rows [83(91,99,107) sts].

Cont in K3, P1 rib, work straight until length (from beg) measures 46cm (Version 1 & 2) or 33cm (Version 3), ending on a WS row.

*****Shape right shoulder strap (RS)** Patt 20(24,24,28) sts, turn, leave rem (63(67,75,79) sts on a holder).

Work each shoulder strap separately.

Cont in K3, P1 rib until shoulder strap measures 20[22,24,26]cm, ending on a WS row.
 Cast off.

Shape back neck and left shoulder strap (RS) With RS facing, rejoin yarn to rem 63(67,75,79) sts, cast off centre 43(43,51,51) sts, patt to end.

Cont in K3, P1 rib until shoulder strap measures 20[22,24,26]cm, ending on a WS row.
 Cast off.

MAKING UP

Press pieces very gently on WS using a warm iron over a damp cloth.

Using edge to edge st, join side seams.

Mark position of strap edges on front bodice, place pins 4[4,8,8] sts in from side seam on cast off edge and then 32[36,40,44] sts from side seams.

With RS tog, using backstitch, join cast off edge of shoulder straps to top edge of front bodice, between the pins and stretching straps slightly to fit.

Mohair Halter Top

A singlet top with ribbed panel at waist and halter neck ties.

★ Beginner



Snug fit

YARN


Colour	Quantity			
Size	A	B	C	D
Jo Sharp Rare Comfort Kid Mohair x 25g balls				
Version 1				
630 Cloud	4	4	5	5
Version 2				
608 Char	6	7	8	8

MEASUREMENTS

Measurements given in inches are approximate.

Women's sizing

A	B	C	D
To fit bust			
80	90	100	110
31½	35¾	39¾	43¼
Bodice circumference			
80	92	104	118
31½	36¼	41	46½
Bodice length Version 1 (not incl straps)			
53	54	57	58
20¾	21¼	22½	22¾
Bodice length Version 2 (not incl straps)			
73	74	77	78
28¾	29½	30¾	30¾



NEEDLES

1 pair 4.50mm needles (USA 7) (UK 7)

1 pair 5.00mm needles (USA 8) (UK 6)

1 set 4.50mm double pointed needles

(USA 7) (UK 7)

3 stitch holders

TENSION

17 sts and 25 rows measured over 10cm
(approx 4 in) of St st using 5.00mm needles.

FRONT

Using 5.00mm needles, cast on 70[82,90,102] sts.
Work in St st until length measures 18cm
(Version 1) or 38cm (Version 2), ending on a
WS row.

Change to 4.50mm needles.

[RS] K2, *P2, K2; rep from * to end.


[WS] P2, *K2, P2; rep from * to end.

These 2 rows form K2, P2 rib pattern.

Cont in K2, P2 rib until length (from beg)
measures 32cm (Version 1) or 52cm (Version 2),
ending on a WS row, and dec 0(2,0,2) sts evenly



Mohair Halter Top Version 1



Mohair Halter Top Version 2

across last row worked [70(80,90,100) sts].
Now work in St st until length (from end rib
section) measures 4cm, ending on a WS row.
Change to 5.00mm needles.**

Shape v-neck (RS) Work 32(37,42,47) sts,
K2tog, K1, turn, leave rem 35(40,45,50) sts
on a holder [34(39,44,49) sts].

Work each side of neck separately.

[WS] Work 1 row.

[RS] (dec) K to last 3 sts, K2tog, K1.

This row sets patt for v-neck shaping.
Dec 1 st as set on foll alt rows, 7 times
[26(31,36,41) sts, 17 rows from beg v-neck
shaping].

[WS] Work 1 row.

Shape v-neck and armhole edge (RS) K1, sl1,
K1, pss0, K to last 3 sts, K2tog, K1.

This row sets patt for v-neck and armhole
edge shaping.

Dec 2 sts as set on foll alt rows, 10(13,15,18)
times [4(3,4,3) sts].

[WS] Work 1 row.

Size A and C only:

[RS] K1, sl1, K1, pss0, K1.

[WS] Work 1 row.

All sizes: Leave rem 3 sts on a holder.

Shape right front v-neck and armhole (RS)

With RS facing, rejoin yarn to rem sts on
holder, K1, sl1, K1, pss0, K to end
[34(39,44,49) sts].

[WS] Work 1 row.

[RS] (dec) K1, sl1, K1, pss0, K to end.

This row sets patt for v-neck shaping.
Dec as set on foll alt rows, 7 times
[26(31,36,41) sts, 17 rows from beg v-neck
shaping].

[WS] Work 1 row.

Shape v-neck and armhole edge (RS) K1, sl1,
K1, pss0, K to last 3 sts, K2tog, K1.

This row sets patt for v-neck and armhole
edge shaping.

Dec 2 sts as set on foll alt rows, 10(13,15,18)
times [4(3,4,3) sts].

[WS] Work 1 row.

Size A and C only:

[WS] Work 1 row.

All sizes: Leave rem 3 sts on a holder.

BACK

Work as for Front to **.

Divide for back keyhole (RS) Work
32(37,42,47) sts, K2tog, K1, turn, leave rem
35(40,45,50) sts on a holder [34(39,44,49)
sts].

Work each side of keyhole separately.

[WS] Work 1 row.

[RS] (dec) K to last 3 sts, K2tog, K1.

This row sets patt for keyhole shaping.
Dec 1 st as set on foll alt rows, 7 times
[26(31,36,41) sts, 17 rows from beg v-neck
shaping].

[WS] Work 1 row.

Cast off.

Shape left keyhole (RS) With RS facing,
rejoin yarn to rem sts on holder, K1, sl1, K1,
pss0, K to end [34(39,44,49) sts].

[WS] Work 1 row.

[RS] (dec) K1, sl1, K1, pss0, K end.

This row sets patt for keyhole shaping.
Dec as set on foll alt rows, 7 times

[26(31,36,41) sts, 17 rows from beg v-neck
shaping].

[WS] Work 1 row.

Cast off.

MAKING UP

Using edge to edge st, join side seams.

Halter straps Working on rem 3 sts on
holder at left front, using 4.50mm double
pointed needles, *K3, do not turn work. Slide
sts to right end of needle. Pull yarn to
tighten. Rep from * until strap length
measures 40cm. Cast off.

Rep for right strap.

Back keyhole ties (make 2) Using 4.50mm
double pointed needles, cast on 3 sts. Work
as for Halter straps from * to end.

Stitch cast on ends of keyhole ties to top of
shaped edge of keyhole opening on back.

2, 1 tr in next ch 1 sp, ch 2, skip next 2 tr, 3 tr in next 2 ch sp] twice. Ch 2, 1 tr in last tr. End yarn, weave in ends.

SKIRT

Colourway A - Round 1 Col A, Rounds 2 & 3 Col B.

Colourway B - Round 1 Col B, Rounds 2 & 3 Col A.

Make 36[42] hexagons in each colourway. Make 3(3) half motifs in Colourway A and 3(4) half motifs in Colourway B.

MAKING UP

Arrange in columns of 6 hexagons, alternating colourways as shown in diagram.

Stitch together along each side using sl st. Join half motifs to skirt along top edge (see diagram).

Sew columns at each side together to form a tube.

Waistband Using Col B, attach yarn to top edge, work 140(160) dc around top edge.

Next rnd 1 dc in each dc in previous round. Rep this rnd once more.

Next rnd [work holes for drawstring] 2 dc, 1 ch [skip 1 dc on previous rnd], *4 dc, 1 ch [skip 1 dc on previous rnd], rep from * ending with 2 dc [28(32) holes].

Next rnd 1 dc in each dc and ch sp on previous rnd.

Work 2 more rnds of dc.

End yarn, weave in ends.

Drawstring Using col B and ch st, make drawstring to length desired.

Thread drawstring through holes in waistband.



Crochet Skirt [detail]

Mohair Shrug

A lacy shrug knitted in two pieces from centre back to cuff.

★★ Intermediate Snug fit

YARN

Colour	Quantity	A	B	C	D
Jo Sharp Rare Comfort Kid Mohair x 25g balls 633 Suede		6	6	7	7

MEASUREMENTS

Measurements given in inches are approximate.

Women's sizing

A	B	C	D
---	---	---	---

To fit bust

80	90	100	110	cm
31½	35¾	39¾	43¼	in
144(148,152,158)cm				23(26,26,29)cm
				39(44,44,48)cm

NEEDLES

- 1 pair 4.50mm needles [USA 7] [UK 7]
- 1 pair 5.00mm needles [USA 8] [UK 6]
- 1 x 4.50mm circular needle [USA 7] [UK 7]

TENSION

18 sts and 25 rows measured over 10cm [approx 4 in] of Butterfly Lace pattern using 5.00mm needles.

BUTTERFLY LACE

Row 1 (RS) K1, *K2tog, yf, K1, yf, sl1, K1, pss0, K3; rep from * to last 6 sts, K2tog, yf, K1, yf, sl1, K1, pss0, K1.

Row 2 (WS) P3, *sl1 purlwise, P7; rep from * to last 4 sts, sl1 purlwise, P3.

Rep the last 2 rows once more.

Row 5 (RS) K5, *K2tog, yf, K1, yf, sl1, K1, pss0, K3; rep from * to last 2 sts, K2.

Row 6 (WS) P7, *sl1 purlwise, P7; rep from * to end.

Rep the last 2 rows once more.

Rep these 8 rows.

LEFT & RIGHT PIECES

(Make 2).

Using 5.00mm needles and Col A, cast on 71(79,79,87) sts.

Work 2 rows in St st.

Now work in Butterfly Lace pattern until length measures 32(32,34,34)cm, ending on a WS row.

Shape sleeve (RS) [dec] Cont in Butterfly lace patt, dec 1 st at each end of this row, then foll 6th rows, 14(15,15,16) times [41(47,47,53) sts, 85(91,91,97) shaping rows].

Size A & D only

(WS) Inc 1 st at beg of row, P to end.

Size B & C only

(WS) Dec 1 st at beg of row, P to end.

[42(46,46,54) sts].

Change to 4.50mm needles.



Mohair Shrug

(RS) K2, *P2, K2; rep from * to end.

(WS) P2, *K2, P2; rep from * to end.

These 2 rows form K2, P2 rib pattern.

Cont in K2, P2 rib until length [from beg rib] measures 6cm.

Cast off.

MAKING UP

With RS tog, using backstitch, join cast on edges together to form centre back seam. Join sleeve seams, using edge to edge st, beg at cuff, until seam measures 46cm.

Edging Using 4.50mm circular needle, pick up 184(192,200,208) sts around edge of opening.

Round 1 (RS) K2, P2; rep from * to end.

This round forms K2, P2 rib patt.

Cont in rounds of rib until edge measures 6cm. Cast off.



Mohair Shrug [detail]

Establishment rows:

Row 1 (RS) K5, P1, *K1, yf, K3, yf, K1, P1 K4, P1; rep from * to last 9[5,10,5] sts, K1, yf, K3, yf, K1, P1[0,1,0], K3[0,4,0].

Row 2 (WS) Purl to last 5 sts, K5.

Row 3 (RS) K5, P1, *K2, sl1, K2tog, pss0, K2, P1, C4B, P1; rep from * to last 11[7,12,7] sts, K2, sl1, K2tog, pss0, K2, P1[0,1,0], K3[0,4,0].

Row 4 (WS) Purl to last 5 sts, K5.

These 4 rows set position and pattern for Cable and Lace panels.

Working in Cable and Lace panel pattern throughout, work straight until length measures 5cm, ending on WS row.

Make buttonhole (RS) K2, cast off 2 sts, patt to end.

(WS) Work in patt to end, casting on the sts cast off in last row.

Cont working in patt until length measures 30cm (Version 1) or 45cm (Version 2), ending on a Row 4 of Cable and Lace pattern and working buttonholes to correspond with marked positions on Left Front.

(RS) Patt 1 row.

Shape armhole (WS) Keeping pattern correct, cast off 5[7,7,8] sts at beg of row, P to last 5 sts, K to end [43{48,53,58} sts].

(RS) (dec) Dec 1 st at end [armhole edge] of this row then foll alt rows, 3[5,7,9] times [39{42,45,48} sts, 8{12,16,20} armhole shaping rows].

Cont in patt, work straight until length from beg armhole shaping measures 12[13,14,15]cm, ending on a WS row.

Shape right neck (RS) Cast off 5 sts at beg of row, patt to end.

(WS) (dec) Dec 1 st at neck edge of next 8 rows, then foll alt rows 4[5,6,7] times [22{24,26,28} sts, 17{19,21,23} neck shaping rows].

Cont in patt, work straight until length from beg armhole shaping measures 20[21,22,23]cm, ending on a RS row.

Shape shoulders (WS) Cast off 7[8,9,10] sts at beg of this and foll alt row.

(RS) Cast off rem 8 sts.

SLEEVES

Using 3.25mm needles, cast on 63[67,75,79] sts. Work 6 rows Garter stitch (knit all rows).

Change to 4.00mm needles.

Establishment rows:

Row 1 (RS) K1[3,7,9], *P1 K4, P1, K1, yf, K3, yf, K1; rep from * to last 7[9,13,15] sts, P1 K4, P1, K1[3,7,9].

Row 2 (WS) Purl.

Row 3 (RS) K1[3,7,9], *P1, C4B, P1, K2, sl1, K2tog, pss0, K2; rep from * to last 7[9,13,15] sts, P1, C4B, P1, K1[3,7,9].

Row 4 (WS) Purl.

These 4 rows set position and pattern for Cable and Lace panels and St st edges.

Shape sleeve (RS) (inc) Keeping pattern correct, inc 1 st at set at each end of this row, then foll 4th rows, 2[4,4,6] times, [69{77,85,93} sts, 9{17,17,25} shaping rows].

Cont in patt, work straight until length (from beg) measures 18cm, ending on a WS row.

Shape sleeve cap (RS) Keeping pattern correct, cast off 5[6,7,8] sts at beg of next 2 rows.

(RS) (dec) Dec 1 st at each end of next row, then foll 4th rows, 4 times, then on foll alt



Lacy Cabled Cardigan Version 2 (detail)



Lacy Scarf

Lacy Scarf

A scarf worked in a lacy pattern.

★★ Intermediate

YARN


Colour	Quantity
Jo Sharp Silkroad DK Tweed x 50g balls 417 Fleece	3

MEASUREMENTS

Measurements given in inches are approximate.

Length - 180cm (70⅞ in)

Width - 16cm (6¼ in)



Lacy Cabled Cardigan Version 2 (detail)

NEEDLES

1 pair 4.00mm needles (USA 6) (UK 8)

SCARF

Using 4.00mm needles, cast on 38 sts.

Row 1 (RS) K2, *yf, K2tog, yf, sl1, K1, pss0, K3, K2tog, yf, K2; rep from * 2 times, yf, K2tog, K1.

Row 2 and every WS row K2, P2, *yf, P2tog, P9; rep from * 2 times, K1.

Row 3 (RS) K2, *yf, K2tog, yf, K1, sl1, K1, pss0, K1, K2tog, K1, yf, K2; rep from * 2 times, yf, K2tog, K1.

Row 5 (RS) K2, *yf, K2tog, K1, K2tog, yf, K1, yf, sl1, K1, pss0, K3; rep from * 2 times, yf, K2tog, K1.

Row 7 (RS) K2, *yf, K2tog, sl1, K1, pss0, K1, yf, K1, yf, K1, sl1, K1, pss0, K2; rep from * 2 times, yf, K2tog, K1.

Row 8 (WS) As Row 2.

These 8 rows form Lace Pattern.

Rep these 8 rows until length measures 180cm. Cast off.

Lacy Cabled Cardigan

A short sleeved cardigan in a lacy cable fabric in two lengths.

★★★ Advanced  Snug fit

YARN


Colour	Quantity			
Size	A	B	C	D
Jo Sharp Soho Summer DK Cotton x 50g balls				
Version 1				
253 Kiwi	8	9	11	12
Version 2				
250 Fog	10	12	13	15

MEASUREMENTS

Measurements given in inches are approximate.

Women's sizing

A	B	C	D
To fit bust			
80	90	100	110
31½	35½	39½	43¼
Bedice circumference (at bust)			
78	90	100	110
30¾	35½	39½	43¼
Version 1 bedice length			
50	51	52	53
19½	20½	20½	20¾
Version 2 bedice length			
65	66	67	68
25½	26	26½	26¾
Sleeve length (seam)			
18	18	18	18
7½	7½	7½	7½



NEEDLES

- 1 pair 3.25mm needles (USA 3) (UK 10)
- 1 pair 4.00mm needles (USA 6) (UK 8)
- 1 x 3.25mm circular needle (USA 3 (UK 10)
- 1 stitch holder
- 1 cable needle

BUTTONS & RIBBON

- Version 1** - 5 x 1cm buttons
- Version 2** - 6 x 1cm pearl buttons and approx 2 metres of 1cm wide grosgrain ribbon in matching colour.

TENSION


22.5 sts and 30 rows measured over 10cm (approx 4 in) of St st using 4.00mm needles.

SPECIAL ABBREVIATIONS

C4B - Sl next 2 sts onto cable needle and hold at back of work. K next 2 sts from left hand needle, then knit sts from cable needle.



Lacy Cabled Cardigan Version 1



Lacy Cabled Cardigan Version 2

BACK

Using 3.25mm needles, cast on 90(104,114,126) sts.

Work 6 rows Garter stitch (knit all rows).

Change to 4.00mm needles.

Establishment rows:

Row 1 (RS) K3[0,4,0], P1[0,1,0] *K1, yf, K3, yf, K1, P1 K4, P1; rep from * to last 9[5,10,5] sts, K1, yf, K3, yf, K1, P1[0,1,0], K3[0,4,0].

Row 2 (WS) Purl.

Row 3 (RS) K3[0,4,0], P1[0,1,0] *K2, sl1, K2tog, pss0, K2, P1, C4B, P1; rep from * to last 11[7,12,7] sts, K2, sl1, K2tog, pss0, K2, P1[0,1,0], K3[0,4,0].

Row 4 (WS) Purl.

These 4 rows set position and pattern for Cable and Lace panels.

Working in Cable and Lace panel pattern throughout, work straight until length measures approx 30cm (Version 1) or 45cm (Version 2), ending on a Row 4 of Cable and Lace pattern.

Shape armholes (RS) Keeping pattern correct, cast off 5[7,8] sts at beg of next 2 rows.

(RS) (dec) Dec 1 st at each end of this row then foll alt rows, 3[5,7,9] times [72[78,84,90] sts, 9[13,17,21] armhole shaping rows]. Cont in patt, work straight until length from beg armhole shaping measures 20[21,22,23]cm, ending on a WS row.

Shape shoulders (RS) Cast off 7[8,9,10] sts at beg of next 4 rows, then 8 sts at beg of foll 2 rows [6 shoulder shaping rows]. Leave rem 28[30,32,34] sts on a holder.

LEFT FRONT

Using 3.25mm needles, cast on 48[55,60,66] sts. Work 6 rows Garter stitch (knit all rows).

Change to 4.00mm needles.

Establishment rows:

Row 1 (RS) K3[0,4,0], P1[0,1,0] *K1, yf, K3, yf, K1, P1 K4, P1; rep from * to last 11 sts, K1, yf, K3, yf, K1, P1, K5.

Row 2 (WS) K5, P to end.

Row 3 (RS) K3[0,4,0], P1[0,1,0] *K2, sl1,

K2tog, pss0, K2, P1, C4B, P1; rep from * to last 13 sts, K2, sl1, K2tog, pss0, K2, P1, K5.

Row 4 (WS) K5, P to end.

These 4 rows set position and pattern for Cable and Lace panels with Garter St border on front edge.

Working in Cable and Lace panel pattern throughout, work straight until length measures approx 30cm (Version 1) or 45cm (Version 2), ending on a Row 4 of Cable and Lace pattern.

Shape armhole (RS) Keeping pattern correct, cast off 5[7,8] sts at beg of row, K to end [43[48,53,58] sts].

(WS) Patt 1 row.

(RS) (dec) Dec 1 st at beg [armhole edge] of this row then foll alt rows, 3[5,7,9] times [39[42,45,48] sts, 9[13,17,21] armhole shaping rows].

Cont in patt, work straight until length from beg armhole shaping measures 12[13,14,15]cm, ending on a RS row.

Shape left neck (WS) Cast off 5 sts at beg of row, patt to end.

(RS) (dec) Dec 1 st at neck edge of next 8 rows, then foll alt rows 4[5,6,7] times [22[24,26,28] sts, 17[19,21,23] neck shaping rows].

Cont in patt, work straight until length from beg armhole shaping measures 20[21,22,23]cm, ending on a WS row.

Shape shoulders (RS) Cast off 7[8,9,10] sts at beg of this and foll alt row.

(WS) Patt 1 row.

(RS) Cast off rem 8 sts.

Mark position of buttons With RS facing, place a pin horizontally on button band 1cm from neck edge, then another 5cm from bottom edge. Place 3 (Version 1) or 4 (Version 2) more pins spaced evenly in between the first 2.

RIGHT FRONT

Using 3.25mm needles, cast on 48[55,60,66] sts. Work 6 rows Garter stitch (knit all rows).

Change to 4.00mm needles.

Eyelet Cardigan & Vest

A fitted cardigan or vest with decorative eyelet panels at waist and neck edge.

★★ Intermediate  Snug fit

YARN


Colour	Quantity			
Size	A	B	C	D
Jo Sharp Alpaca Silk Georgette x 50g balls				
Version 1 (Cardigan)				
754 Kelp	6	7	8	9
Version 2 (Vest)				
759 Pond	5	6	7	8

MEASUREMENTS

Measurements given in inches are approximate.

Women's sizing

A	B	C	D
To fit bust			
80	90	100	110
31½	35¾	39¾	43¼
Body circumference [at bust]			
85	94	104	114
33½	37	41	44¾
Body length Version 1			
43	44	45	46
16¾	17¾	17¾	18¼
Body length Version 2			
53	54	55	56
20¾	21¼	21½	22
Sleeve length [seam]			
30	30	30	30
11¾	11¾	11¾	11¾



NEEDLES

1 pair 2.75mm needles (USA 2) (UK 12)
1 pair 3.25mm needles (USA 3) (UK 10)
1 2.75mm circular needle (USA 2) (UK 12)
3 stitch holders

BUTTONS

5 x 1cm buttons

TENSION

25 sts and 33 rows measured over 10cm (approx 4 in) of St st using 3.25mm needles.

BACK

Using 2.75mm needles, cast on 147(165,183,201) sts.

Row 1 (RS) K1, *P1, K1; rep from * to end.
Row 2 (WS) P1, *K1, P1; rep from * to end.
These 2 rows form K1, P1 rib pattern.
Work in rib patt until length measures 10cm (Version 1) or 20cm (Version 2), ending on a WS row.



Eyelet Cardigan



Eyelet Vest

[RS] (dec) K2, *K2tog, K1; rep from * to last st, K1 [99(111,123,135) sts].

[WS] Purl.

Change to 3.25mm needles.

Eyelet Panel Rows 1 to 3 Knit.

Row 4 (WS) *P2tog, yrn; rep from * to last st P1.

Rows 5 to 7 Knit.

Row 8 (WS) Purl.

Shape sides (RS) (inc) K2, M1, K to last 2 sts, M1, K2.

This row sets patt for inc.

Inc 2 sts as set on foll 6th rows, 4 times [109(121,133,145) sts, 25 shaping rows].

Cont working straight until length [from beg] measures 22cm (Version 1) or 32cm (Version 2), ending on a WS row.

Shape armholes (RS) Cast off 6(7,8,9) sts at beg next 2 rows.

[RS] (dec) K2, sl1, K1, pss0, work to last 4 sts, K2tog, K2.

This row sets patt for dec.

Dec 2 sts as set on foll alt rows, 7(8,9,10) times [81(89,97,105) sts, 17(19,21,23) armhole shaping rows]**.

Work straight until length from beg armhole shaping measures 19(20,21,22)cm, ending on a WS row.

Shape right back neck (RS) Work

19(21,23,25) sts, turn, place rem 62(68,74,80) sts on a holder.

Work each side of neck separately.

[WS] Dec 1 st at neck edge of this row, and foll 3 rows [15(17,19,21) sts].

[WS] Work 1 row.

[RS] Cast off 5(6,6,7) sts at beg this row and foll alt row.

[WS] Work 1 row.

[RS] Cast off rem 5(5,7,7) sts.

Shape left back neck (RS) With RS facing, leave 43(47,51,55) centre sts on a holder, rejoin yarn to rem sts and work to end.

[WS] Dec 1 st at neck edge of this row, and foll 3 rows [15(17,19,21) sts].

[WS] Work 2 rows.

[WS] Cast off 5(6,6,7) sts at beg this row and foll alt row.

[RS] Cast off rem 5(5,7,7) sts.

LEFT FRONT

Using 2.75mm needles, cast on 73(81,91,99) sts.

Row 1 (RS) K1, *P1, K1; rep from * to end.

Row 2 (WS) P1, *K1, P1; rep from * to end. These 2 rows form K1, P1 rib pattern.

Work in rib patt until length measures 10cm (Version 1) or 20cm (Version 2), ending on a WS row.

[RS] (dec) K1[3,1,3], *K2tog, K1; rep from * to end [49(55,61,67) sts].

[WS] Purl.

Change to 3.25mm needles.

Eyelet Panel Rows 1 to 3 Knit.

Row 4 (WS) *P2tog, yrn; rep from * to last st, P1.

Rows 5 to 7 Knit.

Row 8 (WS) Purl.**

Shape sides (RS) (inc) K2, M1, K to end.

This row sets patt for inc.

Inc 1 st as set on foll 6th rows, 4 times [54(60,66,72) sts, 25 shaping rows].

Cont working straight until length [from beg] measures 22cm (Version 1) or 32cm (Version 2), ending on a WS row.

Shape armholes (RS) Cast off 6(7,8,9) sts at beg of row.

[WS] Work 1 row.

[RS] (dec) K2, sl1, K1, pss0, K to end.

This row sets patt for dec.

Dec 1 st as set on foll alt rows, 7(8,9,10) times [40(44,48,52) sts, 17(19,21,23) armhole shaping rows].

[WS] Work 1 row.

Shape neck (RS) Work 33(36,41,44) sts, turn, place rem 7(8,7,8) sts on a holder.

[WS] Cast off 4(4,5,5) sts at beg of this and foll alt row.

[RS] K to last 4 sts, K2tog, K2.

This row sets patt for dec.

Dec 1 st as set on foll alt rows 5(6,7,8) times,

then foll 4th rows 4 times [15(17,19,21) sts, 31(33,35,37) neck shaping rows].

Work straight until length from beg armhole shaping measures same as back to shoulder shaping, ending on a WS row.

(RS) Cast off 5(6,6,7) sts at beg this row and foll alt row.

(WS) Work 1 row.

(RS) Cast off rem 5(5,7,7) sts.

RIGHT FRONT

Work as for Left Front to **.

Shape sides (RS) (inc) K to last 2 sts, M1, K2.

This row sets patt for inc.

Inc 1 st as set on foll 6th rows, 4 times

[54(60,66,72) sts, 25 shaping rows].

Cont working straight until length (from beg) measures 22cm (Version 1) or 32cm (Version 2), ending on a WS row.

(RS) Work 1 row.

Shape armholes (WS) Cast off 6(7,8,9) sts at beg of row, work to end.

(RS) (dec) K to last 4 sts, K2tog, K2.

This row sets patt for dec.

Dec 1 st as set on foll alt rows, 7(8,9,10) times [40(44,48,52) sts, 16(18,20,22) armhole shaping rows].

(WS) Work 1 row.

Shape neck (RS) Place first 7(8,7,8) sts on a holder, work to end.

(WS) Work 1 row.

(RS) Cast off 4(4,5,5) sts at beg of this and foll alt row.

(WS) Work 1 row.

(RS) K2, sl1, K1 pss0, K to end.

This row sets patt for dec.

Dec 1 st as set on foll alt rows 5(6,7,8) times, then foll 4th rows 4 times [15(17,19,21) sts, 33(35,37,39) neck shaping rows].

Work straight until length from beg armhole shaping measures same as back to shoulder shaping, ending on a RS row.

(WS) Cast off 5(6,6,7) sts at beg this row and foll alt row.

(RS) Cast off rem 5(5,7,7) sts.

SLEEVES

Using 2.75mm needles, cast on 59(61,63,65) sts.

Row 1 (RS) K1, *P1, K1; rep from * to end.

Row 2 (WS) P1, *K1, P1; rep from * to end.

These 2 rows form K1, P1 rib pattern.

Rep these 2 rows twice, dec 1 st on last row worked [58(60,62,64) sts, 6 rows].

Change to 3.25mm needles.

Working in St st throughout, work 4 rows straight.

Shape sleeve (RS) (inc) Inc 1 st at each end of this row, then foll 10th(8th,8th,6th) rows, 7(8,10,11) times [74(78,84,88) sts, 71(65,81,67) shaping rows].

Work straight until length (from beg) measures 30cm.

Shape sleeve cap (RS) Cast off 6(7,8,9) sts at beg next 2 rows.

(RS) (dec) Dec 1 st at each end of this row, then foll 4th rows, 5(6,6,7) times, then foll alt rows, 8(7,8,7) times, then every row

9 times [16(18,20,22) sts, 48(50,52,54) shaping rows].

(RS) Cast off 5 sts at beg next 2 rows.
Cast off rem 6(8,10,12) sts.

MAKING UP

Press all pieces gently, on WS using a warm iron over a damp cloth. With RS tog, using backstitch, join shoulder seams.

Version 1 only With RS tog, centre sleeves to shoulder seam and using backstitch, join to bodice. Using edge to edge st, join sleeve seams.

Both versions Using edge to edge st, join side seams.

Neckband With RS facing, using a 2.75mm circ needle, pick up 7(8,7,8) sts from holder at right centre front neck, 53(55,57,59) sts up right side front neck, 8 sts down right side back neck, 43(47,51,55) sts from holder across back neck and 8 sts up left side back neck, 53(55,57,59) sts down left side front neck, and 7(8,7,8) sts from holder at left centre front neck [179(189,195,205) sts].

Eyelet Panel Rows 1 to 3 Knit.

Row 4 (WS) *P2tog, yrn; rep from * to last st P1.

Rows 5 to 7 Knit.

Row 8 (WS) Purl.

(RS) Cast off.

Front bands

With RS facing, using a 2.75mm circ needle, pick up 99(103,107,111) sts (Version 1) or 131(135,139,143) sts (Version 2) up right front (including neckband).

Row 1 (WS) P1, *K1, P1; rep from * to end.

Row 2 (RS) K1, *P1, K1; rep from * to end. These 2 rows from K1, P1 rib.

Make buttonholes (WS) Working in K1, P1 rib, patt 2 sts, *cast off 2 sts, patt 21(22,23,24) sts (Version 1) or 29(30,31,32) sts (Version 2), rep from * to last 5 sts, cast off 2 sts, patt 3 sts [5 buttonholes].

(RS) Working in rib, cast on sts cast off in last row.

(WS) Patt 2 more rows in rib.

Cast off in rib.

Rep on left front omitting buttonholes.

Armhole Edges (Version 2 only)

With RS facing, using a 2.75mm circ needle, pick up 120(126,132,144) sts evenly around armhole.

Round 1 (RS) *K1, P1; rep from * to end.

This 2 round forms K1, P1 rib.

Rep this round 3 times [4 rounds].

Cast off in rib.

V-Neck Vest

A classic vest with v-neck and ribbed edges.
Pattern includes larger sizes.

★★ Intermediate  Classic fit

YARN

Colour	Quantity					
Size	A	B	C	D	E	F
Jo Sharp Desert Garden Aran Cotton x 50g balls 668 Stark	8	8	9	10	11	12

MEASUREMENTS

Measurements given in inches are approximate.

Women's sizing

A	B	C	D	E	F	
To fit bust						
80	90	100	110	120	130	cm
31½	35¾	39¾	43¼	47¼	51½	in
Bodice circumference (at bust)						
89	100	109	120	129	140	cm
35	39¾	42¾	47¼	50¾	55½	in
Bodice length						
44	45	46	47	48	49	cm
17¾	17¾	18½	18½	18¾	19¼	in



NEEDLES

- 1 pair 4.50mm needles [USA 7] (UK 7)
- 1 pair 5.00mm needles [USA 8] (UK 6)
- 1 x 4.50mm circular needle [USA 7] (UK 7)
- 2 stitch holders

TENSION

18 sts and 24 rows measured over 10cm (approx 4 in) of St st using 5.00mm needles.

BACK

Using 4.50mm needles, cast on 86(98,106,114,122,134) sts.
Row 1 (RS) K2, *P2, K2; rep from * to end.
Row 2 (WS) P2, *K2, P2; rep from * to end.
These 2 rows form K2, P2 rib.
Cont in K2, P2 rib patt until length measures 12cm, ending on a WS row, and dec 4(6,6,4,4,6) sts evenly across last row worked [82(92,100,110,118,128) sts].
Change to 5.00mm needles.
Working in St st for rem, work straight until length (from beg) measures 24cm, ending on a WS row.**
Shape armholes (RS) Cast off 4(5,5,6,6,7) sts at beg next 2 rows [74(82,90,98,106,114) sts].
(RS) (dec) K2, K2tog, K to last 4 sts, sl1, K1, pss0, K2.
This row sets patt for dec.
Dec 2 sts as set on foll alt rows, 4(5,6,7,8,9) times [64(70,76,82,88,94) sts],



V-neck Vest

shaping measures 20(21,22,23,24,25) cm, ending on a WS row.

Shape left shoulder (RS) Cast off 5(6,6,7,7,8) sts at beg of this and foll alt row.
(WS) Work 1 row.
(RS) Cast off rem 4(4,6,6,8,8) sts.
Shape right front neck (RS) (dec) With RS facing, rejoin yarn to rem 37[41,45,49,53,57] sts, K2, K2tog, K to last 4 sts, sl1, K1, pss0, K2.

This row sets patt for dec.
(RS) (dec) K2, K2tog, K to last 4 sts, sl1, K1, pss0, K2.

This row sets patt for dec.
Dec 2 sts as set on foll alt rows, 3(4,5,6,7,8) times [27(29,31,33,35,37) sts, 9(11,13,15,17,19) neck shaping rows].
Now work straight at armhole edge, whilst cont to dec at neck edge on alt rows a further 13 times [14(16,18,20,22,24) sts].
Work straight until length from beg armhole shaping measures 20(21,22,23,24,25) cm, ending on a RS row.

Shape right shoulder (WS) Cast off 5(6,6,7,7,8) sts at beg of this and foll alt row.
(RS) Cast off rem 4(4,6,6,8,8) sts.

MAKING UP

Press all pieces gently on WS using a warm iron over a damp cloth. With RS tog, using backstitch, join shoulder seams.

Neckband With RS facing, using a 4.50mm circular needle, pick up 46(46,50,50,54,54) sts down left front neck, place marker, 46(46,50,50,54,54) sts up right front neck, 45(4,5,4,5) sts down right back neck, 34(36,38,40,42,44) sts from holder at centre back neck and 4(5,4,5,4,5) sts up left back neck [134(138,146,150,158,162) sts].

Round 1 (RS) *K2, P2; rep from * to 2 sts before marker, sl1, K1, pss0, K2tog, P2, *K2, P2; rep from * to end.

This round sets patt for K2, P2 rib with centre v-neck dec.
Work a further 7 rounds in patt, dec 1 st either side of marked st as set [8 neckband rounds].

Cast off in rib.

Join side using edge to edge st.

Armhole edges With RS facing, using a 4.50mm circular needle, pick up 84(88,92,96,100,104) sts evenly around armhole.

Round 1 (RS) *K2, P2; rep from * to end.
Rep this round a further 7 times.
Cast off in rib.

FRONT

Work as for Back to **.

Shape armholes and v-neck (RS) Cast off 4(5,5,6,6,7) sts at beg next 2 rows [74(82,90,98,106,114) sts].

(RS) (dec) K2, K2tog, K29[33,37,41,45,49] sts, sl1, K1, pss0, K2, turn, leaving rem 37[41,45,49,53,57] sts on a holder. Work each side of neck separately.

(WS) Work 1 row.

(RS) (dec) K2, K2tog, K to last 4 sts, sl1, K1, pss0, K2.

This row sets patt for dec.

Dec 2 sts as set on foll alt rows, 3(4,5,6,7,8) times [27(29,31,33,35,37) sts,

11(13,15,17,19,21) armhole shaping rows.

Now work straight at armhole edge, whilst cont to dec at neck edge on alt rows a further 13 times [14(16,18,20,22,24) sts].

Work straight until length from beg armhole

Sleeveless Cabled Top

A fitted cabled top in two lengths.

★★ Intermediate  Stretch to fit

YARN

Colour	Quantity				
Size	A	B	C	D	
Jo Sharp Desert Garden Aran Cotton x 50g balls					
Version 1	237 Solstice	8	9	10	12
Version 2	659 Onyx	10	12	13	15



Sleeveless Cabled Top Version 1




Sleeveless Cabled Top Version 2

MEASUREMENTS

Measurements given in inches are approximate.

Women's sizing

A	B	C	D
To fit bust			
80	90	100	110
31½	35¾	39¾	43¼
Bodice circumference [at bust]			
67	76	85	94
26¾	29¾	33½	37
Bodice length			
58	59	60	61
22¾	23¼	23½	24



NEEDLES

- 1 pair 4.50mm needles (USA 7) (UK 7)
- 1 pair 5.00mm needles (USA 8) (UK 6)
- 1 x 4.50mm circular needle (USA 7) (UK 7)
- 1 stitch holder
- 1 cable needle

TENSION

22 sts and 24 rows measured over 10cm (approx 4 in) of Cable pattern using 5.00mm needles. Cable Panel measures approx 4cm.

SPECIAL ABBREVIATIONS

C4F - Sl next 2 sts onto cable needle and hold at front of work. K next 2 sts from left hand needle, then knit sts from cable needle.
C4B - Sl next 2 sts onto cable needle and hold at back of work. K next 2 sts from left hand needle, then knit sts from cable needle.

CABLE PANEL

10 sts

Row 1 (RS) P1, K8, P1.

Row 2 (WS) K1, P8, K1.

Row 3 P1, C4F, C4B, P1.

Row 4 K1, P8, K1.

Row 5 P1, K8, P1.

Row 6 K1, P8, K1.

Rep these 6 rows.

FRONT

Using 4.50mm needles, cast on 76[86,96,106] sts.

Row 1 (RS) K2, *P2, K3; rep from * to last 4 sts, P2, K2.

Row 2 (WS) P2, *K2, P3; rep from * to last 4 sts, K2, P2.

These 2 rows form K3, P2 rib.

Rep these 2 rows twice [6 rows].

Change to 5.00mm needles.

Establishment rows:

Row 1 (RS) K2[7,2,7], P1, work Row 1 Cable panel 7[7,9,9] times, P1, K2[7,2,7].

Row 2 (WS) P2[7,2,7], work Row 2 Cable panel 7[7,9,9] times, K1, P2[7,2,7].

These 2 rows set position of Cable panels.

Cont in Cable panel patt as set until length [from beg] measures 6cm (Version 1) or 16cm (Version 2), ending on a WS row.

Shape front (RS) [dec] Keeping patt correct, K2, sl1, K1, pss0, patt to last 4 sts, K2tog, K2. This row sets patt for dec.

Dec 2 sts as set on foll 8th rows, 3 times [68[78,88,98] sts].

Cont in patt, work 7 rows straight.

(RS) [inc] K2, M1, K to last 2 sts, M1, K2. This row sets patt for inc.

Inc 2 sts as set on foll 6th row, 3 times [76[86,96,106] sts, 51 shaping rows].

Cont in patt, work straight until length [from beg] measures 32cm (Version 1) or 42cm (Version 2), ending on a WS row.

Shape armholes (RS) Cont in patt, cast off 4[5,6,7] sts at beg next 2 rows [68[76,84,92] sts].

(RS) [dec] Keeping patt correct, K2, sl1, K1, pss0, K to last 4 sts, K2tog, K2. This row sets patt for dec.

Dec 2 sts as set on foll alt rows, 3[4,5,6] times, then foll 4th rows 6 times [48[54,60,66] sts, 33[35,37,39] armhole shaping rows].**

(WS) Work 1 row.

Shape left front neck (RS) Work 18[19,20,21] sts, turn, leave rem 30[35,40,45] sts on a holder.

Work each side of neck separately.

Dec 1 st at neck edge of next 6 rows [12[13,14,15] sts].

Work straight until length [from beg armhole shaping] measures 22[23,24,25]cm, ending on a WS row.

Cast off.

Shape right front neck (RS) With RS facing, leave 12[16,20,24] centre sts on holder, rejoin yarn to rem sts, patt to end.

Dec 1 st at neck edge of next 6 rows [12[13,14,15] sts].

Work straight until length [from beg armhole shaping] measures 22[23,24,25]cm, ending on a WS row.

Cast off.

BACK

Work as for front to **.

Cont straight in patt until length from beg armhole shaping measures 18[19,20,21]cm, ending on a WS row. Cast off.

MAKING UP

Press all pieces gently on WS using a warm iron over a damp cloth. With RS tog, using backstitch, join shoulder seams.

Using edge to edge st join side seams,

Neckband With RS facing, using a 4.50mm circular needle, pick up 17[18,19,20] sts down left front neck, 12[16,20,24] sts from holder at centre front, 17[18,19,20] sts up right front neck and 24[28,32,36] sts across centre back neck [70[80,90,100] sts].

(RS) K2[0,3,0] *P2, K3; rep, from * to last 3[0,2,0] sts, P2[0,2,0], K1[0,0,0].

This round forms K3, P2 rib patt.

Note: P sts in pattern on centre front and back neck should match P sts in rib.

Rep this round 11 times (Version 1) or 5 times (Version 2).

Cast off very loosely in rib.

General pattern instructions & abbreviations

TENSION

At the start of each pattern, the required tension is given. Before beginning, it is most important to check your tension by knitting a tension square. Using the yarn, needle size and stitch pattern specified, cast on 40 sts and work approximately 40 rows. Lay work flat and without stretching, measure 10cm both vertically and horizontally. Mark with pins. Count the stitches and rows between the pins, these should match the required tension. If not, try changing up or down a needle size. If your tension is too loose (too few stitches and rows), try smaller needles. If it is too tight (too many stitches and rows), try larger needles. Incorrect tension will result in a mis-shapen piece.

READING GRAPHS

Each square on a graph represents one stitch. Unless otherwise stated, graphs are worked in Stocking Stitch. When working from a graph, read odd rows (RS) from right to left and even rows (WS) from left to right. Graphs may be enlarged by photocopy for easier reading.

YARN QUANTITIES

Yarn quantities given are approximate estimations based on average requirements using specified tension and Jo Sharp yarn.

COLOUR REPRODUCTION

Inaccuracies of some illustrated yarn shades in this book are caused by photographic and printing reproduction processes that are unavoidable. To avoid disappointment, it is advisable to view an actual yarn sample before purchasing yarn.

PATTERN ERRORS

Whilst we endeavour to provide accurate patterns for publication, unfortunately sometimes errors are published. We apologise for any inconvenience caused to you if you encounter an error, however we do not accept liability. Prior to starting a project, we suggest you read through the pattern and see your local yarn store or refer to our website for the most recent corrections. Should you discover a pattern error not listed on our website, we would appreciate advice via email. We also welcome your pattern enquiry by email.

Email: yarn@josharp.com.au

Website: www.josharp.com.au

ABBREVIATIONS

alt	alternate
approx	approximately
beg	beginning
ch	chain
circ	circular
cn	cable needle
cm	centimetres
Col	colour
cont	continue
dc	double crochet
dec	decrease
foll	follow/ing
in	inch/es
inc	increase
incl	including
K	knit
Kb1	knit into the back of stitch
Kfb	knit into front and back of K stitch (increases 1 st)
K2tog	knit 2 stitches together (decreases 1 st)
K3tog	knit 3 stitches together (decreases 2 sts)
M1	make 1 - pick up loop between sts and knit into back of it (increases 1 st)
mm	millimetres
patt	pattern
P	purl
Pb1	purl into the back of stitch
Pbf	purl into back and front of P stitch (increases 1 st)
P2tog	purl 2 stitches together (decreases 1 st)
pss0	pass slipped stitch over
rem	remain/ing
rep/s	repeat/s
rev	reverse/ing
rnd	round
RS	right side
sl	slip
sp	space
ssk	slip 2 sts individually knitwise, K the 2 slipped sts tog through the back loops (dec 1 st)
st/s	stitch/es
St st	Stocking stitch (knit RS rows, purl WS rows)
tbl	through back of loop(s)
tog	together
tr	treble
vers	version
WS	wrong side
yb	yarn back
yf	yarn forward
yfon	yarn forward and over needle
yfrn	yarn forward and round needle
yon	yarn over needle
yrn	yarn round needle
yrs	years

Conversion tables

METRIC TO IMPERIAL CONVERSION

cm	in
1.....	3/8
1.5.....	5/8
2.....	3/4
2.5.....	1
3.....	1 1/8
3.5.....	1 3/8
4.....	1 5/8
4.5.....	1 3/4
5.....	2
5.5.....	2 1/8
6.....	2 3/8
6.5.....	2 1/2
7.....	2 3/4
7.5.....	2 7/8
8.....	3 1/8
8.5.....	3 3/8
9.....	3 1/2
9.5.....	3 3/4
10.....	3 7/8
10.5.....	4 1/8
11.....	4 3/8
11.5.....	4 1/2
12.....	4 3/4
12.5.....	4 7/8
13.....	5 1/8
13.5.....	5 1/4
14.....	5 1/2
14.5.....	5 3/4
15.....	5 7/8
15.5.....	6 1/8
16.....	6 1/4
16.5.....	6 1/2
17.....	6 3/4
17.5.....	6 7/8
18.....	7 1/8
18.5.....	7 1/4
19.....	7 1/2
19.5.....	7 5/8
20.....	7 7/8
25.....	9 7/8
30.....	11 3/4
35.....	13 3/4
40.....	15 3/4
45.....	17 3/4
50.....	19 5/8
55.....	21 5/8
60.....	23 5/8
65.....	25 5/8
70.....	27 1/2
75.....	29 1/2
80.....	31 1/2
85.....	33 1/2
90.....	35 3/8
95.....	37 3/8
100.....	39 3/8
110.....	43 1/4

NEEDLE SIZE CONVERSION

mm	USA	UK
2.....	0	14
2.25.....	1	13
2.75.....	2	12
3.....	-	11
3.25.....	3	10
3.5.....	4	-
3.75.....	5	9
4.....	6	8
4.5.....	7	7
5.....	8	6
5.5.....	9	5
6.....	10	4
6.5.....	10.5*	3
7.....	10.5*	2
7.5.....	-	1
8.....	11	0
9.....	13	00
10.....	15	000

*Depends on brand of needles

Crochet Scarf

A simple scarf worked in crochet squares.

★★ Intermediate (Crochet experience)

YARN


Code	Colour	Quantity
Jo Sharp Soho Summer DK Cotton x 50g balls		
Col A	222 Freesia	2
Col B	254 Paisley	2

MEASUREMENTS

Measurements given in inches are approximate.

Length - 165cm (65 in)

Width - 15cm (5 $\frac{7}{8}$ in)



NEEDLES

1 x 5.00mm crochet hook

CROCHET ABBREVIATIONS

ch - chain

dc - double crochet (USA sc)

rnd - round

sl st - slip st

sp - space

tr - treble (USA dc)

COLOUR SEQUENCE

Square A - Round 1 Col A, Rounds 2 & 3 Col B, Rounds 4 & 5 Col A.

Square B - Round 1 Col B, Rounds 2 & 3 Col A, Rounds 4 & 5 Col B.

SCARF

Make 11 squares (6 Square A and 5 Square B) as foll; using first col, ch 6; join with sl st to form a ring.

Rnd 1 Ch 5, [6 tr into ring, ch 2] 3 times, 5 tr into ring; join with a sl st to 3rd ch of beg ch 5. Fasten off.

Rnd 2 Join second col to next 2 ch sp, ch 5, 3 tr in same sp, *ch 5, [3 tr, ch 2, 3 tr] in next ch 2 sp, rep from * 2 more times, ch 5, 2 tr in same sp as first 3 tr; join to 3rd ch of beg ch 5.

Rnd 3 Sl st to ch 2 sp, ch 5, 3 tr in same sp, *ch 5, dc in next ch 5 sp, ch 5, [3 tr, ch 2, 3 tr] in next ch 2 sp, repeat from * 2 more times, ch 5, dc in next ch 5 sp, ch 5, 2 tr in same sp as first 3 tr; join to 3rd ch of beg ch 5. Fasten off.

Rnd 4 Join first col to next 2 ch sp, work same as rnd 3, but work an extra ch 5, 1 dc on each side.

Rnd 5 Sl st to ch 2 sp, ch 5, 3 tr in same sp, *ch 5, dc in next ch 5 sp, 6 tr in next ch 5 sp, dc in next ch 5 sp, ch 5, [3 tr, ch 2, 3 tr] in next ch 2 sp, repeat from * 2 more times, ch 5, 1 dc in next ch 5 sp, 6 tr in next ch 5 sp, 1 dc in next ch 5 sp, ch 5, 2 tr in same sp as first 3 tr; join to 3rd ch of beg ch 5. Fasten off and sew in ends.

MAKING UP

Press each square gently using a warm iron over a damp cloth. With WS facing, arrange squares in Col sequence as shown in diagram above. Join squares by oversewing at 3 points along the edge of each square.



Crochet Scarf



Crochet Skirt

Crochet Skirt

A simple skirt worked in hexagonal crochet motifs, with a waistband and drawstring.

★★ Intermediate (Crochet experience)

YARN

Code	Colour	Quantity	A-B	C-D
Jo Sharp Soho Summer DK Cotton x 50g balls				
Col A	228 Calico	5	6	
Col B	256 Bisque	5	6	

MEASUREMENTS

Measurements given in inches are approximate.

Women's Sizing

A-B	C-D
-----	-----

To fit hip

85-95 105-115 cm

33 $\frac{1}{2}$ -37 $\frac{3}{8}$ 41 $\frac{3}{8}$ -45 $\frac{1}{4}$ in

Skirt circumference


95 115 cm

35 $\frac{3}{8}$ 45 $\frac{1}{4}$ in

Skirt length

65 65 cm

25 $\frac{5}{8}$ 25 $\frac{5}{8}$ in



NEEDLES

1 x 5.00mm crochet hook

CROCHET ABBREVIATIONS

ch - chain

dc - double crochet (USA sc)

rnd - round

sl st - slip st

sp - space

tr - treble (USA dc)

HEXAGONS

(3 Rounds).

Starting Ch: Using 1st col, ch 6. Join with a sl st in the 1st ch, to form a ring.

Rnd 1 Ch 3 [counts as 1st tr], 2 tr in ring, [ch 3, 3 tr in ring] 5 times, ch 3, sl st in top of beg ch 3 of this rnd. End yarn.

Rnd 2 Join 2nd col in next ch 3 sp, ch 3 [counts as 1st tr], [tr, ch 1, 2 tr] in same ch 3 sp, *ch 2, skip next 3 tr, [2 tr, ch 1, 2 tr] in next ch 3 sp **, rep the directions between * and ** 4 more times, then ch 2, skip next 3 tr, sl st in top of beg ch 3 of this rnd.

Rnd 3 Sl st in next tr, sl st in next ch 1 sp, ch 5 [counts as 1st tr and a ch 2], tr in same ch 1 sp, * ch 2, skip next 2 tr, 3 tr in next ch 2 sp, ch 2, skip next 2 tr, [tr, ch 2, tr] in next ch 1 sp **, rep the directions between * and ** 4 more times, then ch 2, skip next 2 tr, 3 tr in next ch 2 sp, ch 2, sl st in 3rd ch of beg ch 5 of this rnd.

End off. Weave in ends.

HALF MOTIF

(3 Rows).

Starting Ch: Using 1st col, ch 6.

Row 1 2 tr in 4th ch from hook, [ch 3, 3 tr in next ch] twice. Cut yarn, end off.

Row 2 Join 2nd col yarn into top of 1st tr of row 1. Ch 3, 1 tr in 1st tr, ch 2, skip next 2 tr, [2 tr, ch 1, 2 tr] in next ch 3 sp, ch 2, skip next 3 tr, [2 tr, ch 1, 2 tr] in next ch 3 sp, ch 2, skip next 2 tr, 2 tr in last tr. Cut yarn, end off.

Row 3 Join 2nd col yarn to 3rd ch at beg of row 2. Ch 5 [counts as 1st tr and a ch 2] 3 tr in next 2 ch sp, [ch 2, skip next 2 tr, 1 tr, ch